

AMENDMENTS TO THE CLAIMS

1. (Currently Amended) In a A video reproducing apparatus comprising: equipment having
at least a pair of units having separate housings; and
a chassis for holding said units, the chassis including: ~~comprises:~~
a supporting unit that supports means for supporting a displacement of said pair of
units during displacement; and
a fixing unit that fixes means for fixing the displacement;
wherein said pair of units are displaced in respective directions and fixed and housed in a
predetermined position.
2. (Original) The video reproducing equipment according to claim 1, wherein said pair
of units are respectively disposed in an upper and lower position.
3. (Currently amended) The video reproducing equipment according to claim 2, wherein
one of said pair of units is held between the other unit ~~and in~~ said chassis to house ~~said pair of~~
~~units.~~
4. (Currently Amended) The video reproducing equipment according to claim 1,
wherein ~~said pair of units use in common~~ said supporting unit means to simultaneously displace
said pair of units to the predetermined position.

5. (Original) The video reproducing equipment according to claim 1, wherein, in a state where the displacement of one of said pair of units is fixed in the predetermined position, the other unit is independently displaced and fixed within a predetermined range.

6. (Original) The video reproducing equipment according to claim 1, wherein said equipment is disposed on a plane having a recessed portion, and wherein at least part of one of said pair of units is displaced so as to receive it into said recessed portion.

7. (Currently Amended) The video reproducing equipment according to claim 1,
~~wherein~~ further comprising:

a limiting unit that limits means for limiting the range of displacement of at least one of said pair of units.

8. (Currently Amended) The video reproducing equipment according to claim 7,
wherein the unit to be limited and said chassis are provided, as the limiting unit means, with a recessed portion and a projected portion which comes into engagement with said recessed portion.

9. (Currently Amended) ~~The A~~ video reproducing equipment according to claim 1,~~wherein, further~~ apparatus comprising:

at least a pair of units;

a chassis for holding said units, said chassis including:

a supporting unit that supports said pair of units during displacement;
a fixing unit that fixes the displacement, wherein said pair of units are displaced
in respective directions and fixed and housed in a predetermined position;
a provisional fixing unit that means for provisionally fixes fixing the
displacement of one of said pair of units; and
a releasing unit that releases means for releasing the provisional fixing unit;
wherein said releasing unit means releases the provisional fixing linked with the
displacement of the other unit.

10. (Currently Amended) The video reproducing equipment according to claim 9,
wherein one of said pair of units and said chassis are provided, as the provisional fixing unit
means, with a recessed portion and a projected portion which comes into engagement with said
recessed portion, and wherein a cam is provided, as releasing means, for releasing the fitting
linked with the other unit.

11. (Original) The video reproducing equipment according to claim 1, wherein an
information memory medium or a constituent is inserted or ejected into/from at least one of said
pair of units, and said pair of units are displaced to a first predetermined position in which said
one of said pair of units is housed and to a second predetermined position in which the
information memory medium or the constituent is inserted and ejected thereinto/therefrom.

12. (Original) The video reproducing equipment according to claim 1, wherein said pair of units are disposed in a front and rear position.

13. (Original) The video reproducing equipment according to claim 1, wherein further comprising interlocking means for interlocking the displacement of each of said pair of units, wherein the other unit is displaced linked with the displacement of said one of said pair of units.

14. (Original) The video reproducing equipment according to claim 13, wherein said interlocking means comprises interlocking releasing means for releasing the interlocking under a predetermined condition, wherein, in case the displacement of one of said pair of units is fixed, or in case an external force beyond a predetermined level is applied to the other unit, the other unit is independently displaced.

15. (Original) The video reproducing equipment according to claim 1, wherein a plurality of constituents are housed inside one of said pair of units.

16. (Currently Amended) The video reproducing equipment according to claim 1,
~~wherein~~ further comprising:

a door for covering one of said pair of units after said one of said pair of units has housed.

17. (Currently Amended) ~~The A~~ video reproducing equipment according to claim 16,
~~wherein further apparatus~~ comprising:

at least a pair of units;

a chassis for holding said units, the chassis including:

a supporting unit that support said pair of units during displacement;

a fixing unit that fixes the displacement, wherein said pair of units are displaced

in respective directions and fixed and housed in a predetermined position;

a door for covering one of said pair of units after said one of said pair of units has
housed; and

a light for illuminating a space in which said equipment is disposed, wherein said
door is disposed to shield the illuminated light within a predetermined range.

18. (Currently Amended) The video reproducing equipment according to claim 1,
~~wherein~~ further comprising:

a remote controller for operating said equipment, said remote controller being detachably mounted on said equipment body or one of said pair of units.

19. (Original) The video reproducing equipment according to claim 18, wherein an opening is formed such that said remote controller is operated while mounting the remote controller on said equipment body.

20. (Original) The video reproducing equipment according to claim 1, wherein one of said pair of units is a reproducing equipment for reproducing video information and the other unit is a display unit for displaying the reproduced video information therefrom.

21. (Original) The video reproducing equipment according to claim 1, wherein said equipment is disposed on a ceiling of a vehicle compartment.